



Setting the standard in Surface-mounted LED Downlight

GreenSpace Surface-mounted

Philips GreenSpace Surface-mounted LED Downlight delivers a superior LED alternative that's up to 66% more energy efficient than the conventional downlight retrofits. Blending seamlessly into its environment, GreenSpace Surface-mounted LED Downlight mimics the form of conventional recessed downlights minus the associated high energy and maintenance costs. Philips GreenSpace Surface-mounted LED Downlight is also ideal for all commercial lighting applications as well as public indoor space where there is limited space in the ceiling.

Benefits

- Lumen output: Different lumens in different sizes and mounting heights with options of 1000lm, 2000lm, 3800lm & 6600lm.
- Superior light performance: Colors rendered accurately(CRI>80) and high system efficacy(100lm/w)
- Varieties: IP20, IP65 version with choice of different lumen output, and option of black housing through tailor-made
- Long lifetime: 50,000 hour lifetime ensures more savings in the long run

Features


- System efficacy: 100lm/W, energy saving up to 66% vs conventional downlights
- Reliable performance: Lifetime 50,000hours (L70B50@Ta25°C)
- Excellent light quality - CRI>=80 @3000K,4000K and 6500K
- Integral lightweight design – Installation cost is significantly reduced

GreenSpace Surface-mounted

Application

- Shopping mall
- Station concourse
- Canopy
- Airport public area
- Stadium public area

Versions



SM291C/SM293C



SM295C LED68

Application conditions

Ambient temperature range	-20 to +40 °C
Suitable for random switching	No

Approval and application

Mech. impact protection code	IK02
------------------------------	------

Controls and dimming

Dimmable	No
----------	----

Operating and electrical

Input Voltage	220 to 240 V
---------------	--------------

General information

CE mark	CE mark
Protection class IEC	Safety class I
Optical cover/lens type	Reflector
Driver included	Yes
Glow-wire test	Temperature 750 °C, duration 5 s
Light source replaceable	No
Number of gear units	1 unit
Optic type	High-gloss mirror
Service tag	Yes

Initial performance (IEC compliant)

Init. Color Rendering Index	>80
Luminous flux tolerance	+/-10%

Over time performance (IEC compliant)

Median useful life L80B50	40000 h
Median useful life L90B50	20000 h

Application conditions

Order Code	Full Product Name	Maximum dim level
911401508831	SM291C LED10/830 PSU WH	-
911401508931	SM291C LED10/840 PSU WH	-
911401509031	SM291C LED10/865 PSU WH	-
911401509131	SM291C LED10/830 PSU BK	-
911401509231	SM291C LED10/840 PSU BK	-
911401509331	SM291C LED10/865 PSU BK	-
911401509431	SM293C LED20/830 PSU WH	-
911401509531	SM293C LED20/840 PSU WH	-
911401509631	SM293C LED20/865 PSU WH	-
911401509731	SM293C LED20/830 PSU BK	-
911401509831	SM293C LED20/840 PSU BK	-
911401509931	SM293C LED20/865 PSU BK	-
911401510031	SM294C LED40/830 PSU WH	-
911401510131	SM294C LED40/840 PSU WH	-
911401510231	SM294C LED40/865 PSU WH	-
911401510331	SM294C LED40/830 PSU BK	-
911401510431	SM294C LED40/840 PSU BK	-
911401510531	SM294C LED40/865 PSU BK	-
911401511231	SM294C LED40/830 PSU WP WH	-
911401511331	SM294C LED40/840 PSU WP WH	-
911401511431	SM294C LED40/865 PSU WP WH	-
911401511531	SM294C LED40/830 PSU WP BK	-
911401511631	SM294C LED40/840 PSU WP BK	-
911401511731	SM294C LED40/865 PSU WP BK	-
911401847199	SM291C LED10/830 PSU WH GM	-
911401847299	SM291C LED10/840 PSU WH GM	-
911401847399	SM291C LED10/865 PSU WH GM	-
911401847499	SM293C LED20/830 PSU WH GM	-
911401847599	SM293C LED20/840 PSU WH GM	-
911401847699	SM293C LED20/865 PSU WH GM	-
911401847799	SM295C LED70/840 PSU WP WH GM	-
911401847899	SM295C LED70/830 PSU WP WH GM	-
911401847999	SM294C LED40/840 PSU WP WH GM	-
911401848099	SM295C LED70/865 PSU WP WH GM	-
911401848299	SM294C LED40/865 PSU WP WH GM	-
911401848399	SM294C LED40/830 PSU WP WH GM	-
911401848499	SM295C LED70/830 PSU WH GM	-
911401848599	SM294C LED40/830 PSU WH GM	-
911401848699	SM294C LED40/840 PSU WH GM	-
911401848799	SM294C LED40/865 PSU WH GM	-
911401848899	SM295C LED70/840 PSU WH GM	-
911401510631	SM295C LED68/830 PSU WH	Not applicable
911401510731	SM295C LED68/840 PSU WH	Not applicable
911401510831	SM295C LED68/865 PSU WH	Not applicable
911401510931	SM295C LED68/830 PSU BK	Not applicable
911401511031	SM295C LED68/840 PSU BK	Not applicable
911401511131	SM295C LED68/865 PSU BK	Not applicable
911401511831	SM295C LED68/830 PSU WP WH	Not applicable
911401511931	SM295C LED68/840 PSU WP WH	Not applicable
911401512031	SM295C LED68/865 PSU WP WH	Not applicable
911401512131	SM295C LED68/830 PSU WP BK	Not applicable

GreenSpace Surface-mounted

Order Code	Full Product Name	Beam		
		angle of light source	ENEC mark	Flammability mark
911401511231	SM294C LED40/830 PSU WP WH	-	-	-
911401511331	SM294C LED40/840 PSU WP WH	-	-	-
911401511431	SM294C LED40/865 PSU WP WH	-	-	-
911401511531	SM294C LED40/830 PSU WP BK	-	-	-
911401511631	SM294C LED40/840 PSU WP BK	-	-	-
911401511731	SM294C LED40/865 PSU WP BK	-	-	-
911401847199	SM291C LED10/830 PSU WH GM	-°	-	-
911401847299	SM291C LED10/840 PSU WH GM	-°	-	-
911401847399	SM291C LED10/865 PSU WH GM	-°	-	-
911401847499	SM293C LED20/830 PSU WH GM	-°	-	-
911401847599	SM293C LED20/840 PSU WH GM	-°	-	-
911401847699	SM293C LED20/865 PSU WH GM	-°	-	-
911401847799	SM295C LED70/840 PSU WP WH GM	-°	-	-
911401847899	SM295C LED70/830 PSU WP WH GM	-°	-	-
911401847999	SM294C LED40/840 PSU WP WH GM	-°	-	-
911401848099	SM295C LED70/865 PSU WP WH GM	-°	-	-
911401848299	SM294C LED40/865 PSU WP WH GM	-°	-	-

Order Code	Full Product Name	Beam		
		angle of light source	ENEC mark	Flammability mark
911401848399	SM294C LED40/830 PSU WP WH GM	-°	-	-
911401848499	SM295C LED70/830 PSU WH GM	-°	-	-
911401848599	SM294C LED40/830 PSU WH GM	-°	-	-
911401848699	SM294C LED40/840 PSU WH GM	-°	-	-
911401848799	SM294C LED40/865 PSU WH GM	-°	-	-
911401848899	SM295C LED70/840 PSU WH GM	-°	-	-
911401510631	SM295C LED68/830 PSU WH	-	-	-
911401510731	SM295C LED68/840 PSU WH	-	-	-
911401510831	SM295C LED68/865 PSU WH	-	-	-
911401510931	SM295C LED68/830 PSU BK	-	-	-
911401511031	SM295C LED68/840 PSU BK	-	-	-
911401511131	SM295C LED68/865 PSU BK	-	-	-
911401511831	SM295C LED68/830 PSU WP WH	-	-	-
911401511931	SM295C LED68/840 PSU WP WH	-	-	-
911401512031	SM295C LED68/865 PSU WP WH	-	-	-
911401512131	SM295C LED68/830 PSU WP BK	-	-	-
911401512231	SM295C LED68/840 PSU WP BK	-	-	-
911401512331	SM295C LED68/865 PSU WP BK	-	-	-

Initial performance (IEC compliant) (1/2)

Order Code	Full Product Name	Initial chromaticity	Init. Corr.	Initial LED	Initial
			Color Temperature	luminaire efficacy	luminous flux
911401508831	SM291C LED10/830 PSU WH	(0.44, 0.40) SDCM <5	3000 K	100 lm/W	1000 lm
911401508931	SM291C LED10/840 PSU WH	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	1000 lm
911401509031	SM291C LED10/865 PSU WH	(0.31, 0.32) SDCM <5	6500 K	100 lm/W	1000 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr.	Initial LED	Initial
			Color Temperature	luminaire efficacy	luminous flux
911401509131	SM291C LED10/830 PSU BK	(0.44, 0.40) SDCM <5	3000 K	100 lm/W	1000 lm
911401509231	SM291C LED10/840 PSU BK	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	1000 lm
911401509331	SM291C LED10/865 PSU BK	(0.31, 0.32) SDCM <5	6500 K	100 lm/W	1000 lm

GreenSpace Surface-mounted

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401509431	SM293C LED20/830 PSU WH	(0.44, 0.40) SDCM <5	3000 K	105 lm/W	2000 lm
911401509531	SM293C LED20/840 PSU WH	(0.38, 0.38) SDCM <5	4000 K	105 lm/W	2000 lm
911401509631	SM293C LED20/865 PSU WH	(0.31, 0.32) SDCM <5	6500 K	105 lm/W	2000 lm
911401509731	SM293C LED20/830 PSU BK	(0.44, 0.40) SDCM <5	3000 K	105 lm/W	2000 lm
911401509831	SM293C LED20/840 PSU BK	(0.38, 0.38) SDCM <5	4000 K	105 lm/W	2000 lm
911401509931	SM293C LED20/865 PSU BK	(0.31, 0.32) SDCM <5	6500 K	105 lm/W	2000 lm
911401510031	SM294C LED40/830 PSU WH	(0.44, 0.40) SDCM <5	3000 K	105 lm/W	3800 lm
911401510131	SM294C LED40/840 PSU WH	(0.38, 0.38) SDCM <5	4000 K	105 lm/W	3800 lm
911401510231	SM294C LED40/865 PSU WH	(0.31, 0.32) SDCM <5	6500 K	105 lm/W	3800 lm
911401510331	SM294C LED40/830 PSU BK	(0.44, 0.40) SDCM <5	3000 K	105 lm/W	3800 lm
911401510431	SM294C LED40/840 PSU BK	(0.38, 0.38) SDCM <5	4000 K	105 lm/W	3800 lm
911401510531	SM294C LED40/865 PSU BK	(0.31, 0.32) SDCM <5	6500 K	105 lm/W	3800 lm
911401511231	SM294C LED40/830 PSU WP WH	(0.44, 0.40) SDCM <5	3000 K	105 lm/W	3800 lm
911401511331	SM294C LED40/840 PSU WP WH	(0.38, 0.38) SDCM <5	4000 K	105 lm/W	3800 lm
911401511431	SM294C LED40/865 PSU WP WH	(0.31, 0.32) SDCM <5	6500 K	105 lm/W	3800 lm
911401511531	SM294C LED40/830 PSU WP BK	(0.44, 0.40) SDCM <5	3000 K	105 lm/W	3800 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401511631	SM294C LED40/840 PSU WP BK	(0.38, 0.38) SDCM <5	4000 K	105 lm/W	3800 lm
911401511731	SM294C LED40/865 PSU WP BK	(0.31, 0.32) SDCM <5	6500 K	105 lm/W	3800 lm
911401847199	SM291C LED10/830 PSU WH GM	(0.44, 0.40) SDCM <5	3000 K	100 lm/W	1000 lm
911401847299	SM291C LED10/840 PSU WH GM	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	1000 lm
911401847399	SM291C LED10/865 PSU WH GM	(0.31, 0.32) SDCM <5	6500 K	100 lm/W	1000 lm
911401847499	SM293C LED20/830 PSU WH GM	(0.44, 0.40) SDCM <5	3000 K	105 lm/W	2000 lm
911401847599	SM293C LED20/840 PSU WH GM	(0.38, 0.38) SDCM <5	4000 K	105 lm/W	2000 lm
911401847699	SM293C LED20/865 PSU WH GM	(0.31, 0.32) SDCM <5	6500 K	105 lm/W	2000 lm
911401847799	SM295C LED70/840 PSU WP WH GM	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	6600 lm
911401847899	SM295C LED70/830 PSU WP WH GM	(0.44, 0.40) SDCM <5	3000 K	100 lm/W	6600 lm
911401847999	SM294C LED40/840 PSU WP WH GM	(0.38, 0.38) SDCM <5	4000 K	105 lm/W	3800 lm
911401848099	SM295C LED70/865 PSU WP WH GM	(0.31, 0.32) SDCM <5	6500 K	100 lm/W	6600 lm
911401848299	SM294C LED40/865 PSU WP WH GM	(0.31, 0.32) SDCM <5	6500 K	105 lm/W	3800 lm
911401848399	SM294C LED40/830 PSU WP WH GM	(0.44, 0.40) SDCM <5	3000 K	105 lm/W	3800 lm

GreenSpace Surface-mounted

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401848499	SM295C LED70/830 PSU WH GM	(0.44, 0.40) SDCM <5	3000 K	100 lm/W	6600 lm
911401848599	SM294C LED40/830 PSU WH GM	(0.44, 0.40) SDCM <5	3000 K	100 lm/W	3800 lm
911401848699	SM294C LED40/840 PSU WH GM	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	3800 lm
911401848799	SM294C LED40/865 PSU WH GM	(0.31, 0.32) SDCM <5	6500 K	100 lm/W	3800 lm
911401848899	SM295C LED70/840 PSU WH GM	(0.38, 0.38) SDCM <5	4000 K	100 lm/W	6600 lm
911401510631	SM295C LED68/830 PSU WH	(0.44, 0.40) SDCM=5	3000 K	100 lm/W	6600 lm
911401510731	SM295C LED68/840 PSU WH	(0.38, 0.38) SDCM=5	4000 K	100 lm/W	6600 lm
911401510831	SM295C LED68/865 PSU WH	(0.31, 0.32) SDCM=5	6500 K	100 lm/W	6600 lm
911401510931	SM295C LED68/830 PSU BK	(0.44, 0.40) SDCM=5	3000 K	100 lm/W	6600 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux
911401511031	SM295C LED68/840 PSU BK	(0.38, 0.38) SDCM<5	4000 K	100 lm/W	6600 lm
911401511131	SM295C LED68/865 PSU BK	(0.31, 0.32) SDCM<5	6500 K	100 lm/W	6600 lm
911401511831	SM295C LED68/830 PSU WP WH	(0.44, 0.40) SDCM<5	3000 K	100 lm/W	6600 lm
911401511931	SM295C LED68/840 PSU WP WH	(0.38, 0.38) SDCM<5	4000 K	100 lm/W	6600 lm
911401512031	SM295C LED68/865 PSU WP WH	(0.31, 0.32) SDCM<5	6500 K	100 lm/W	6600 lm
911401512131	SM295C LED68/830 PSU WP BK	(0.44, 0.40) SDCM<5	3000 K	100 lm/W	6600 lm
911401512231	SM295C LED68/840 PSU WP BK	(0.38, 0.38) SDCM<5	4000 K	100 lm/W	6600 lm
911401512331	SM295C LED68/865 PSU WP BK	(0.31, 0.32) SDCM<5	6500 K	100 lm/W	6600 lm

Initial performance (IEC compliant) (2/2)

Order Code	Full Product Name	Initial input power
911401508831	SM291C LED10/830 PSU WH	10 W
911401508931	SM291C LED10/840 PSU WH	10 W
911401509031	SM291C LED10/865 PSU WH	10 W
911401509131	SM291C LED10/830 PSU BK	10 W
911401509231	SM291C LED10/840 PSU BK	10 W
911401509331	SM291C LED10/865 PSU BK	10 W
911401509431	SM293C LED20/830 PSU WH	19 W
911401509531	SM293C LED20/840 PSU WH	19 W
911401509631	SM293C LED20/865 PSU WH	19 W
911401509731	SM293C LED20/830 PSU BK	19 W
911401509831	SM293C LED20/840 PSU BK	19 W
911401509931	SM293C LED20/865 PSU BK	19 W
911401510031	SM294C LED40/830 PSU WH	36 W
911401510131	SM294C LED40/840 PSU WH	36 W
911401510231	SM294C LED40/865 PSU WH	36 W
911401510331	SM294C LED40/830 PSU BK	36 W
911401510431	SM294C LED40/840 PSU BK	36 W
911401510531	SM294C LED40/865 PSU BK	36 W
911401511231	SM294C LED40/830 PSU WP WH	36 W

Order Code	Full Product Name	Initial input power
911401511331	SM294C LED40/840 PSU WP WH	36 W
911401511431	SM294C LED40/865 PSU WP WH	36 W
911401511531	SM294C LED40/830 PSU WP BK	36 W
911401511631	SM294C LED40/840 PSU WP BK	36 W
911401511731	SM294C LED40/865 PSU WP BK	36 W
911401847199	SM291C LED10/830 PSU WH GM	10 W
911401847299	SM291C LED10/840 PSU WH GM	10 W
911401847399	SM291C LED10/865 PSU WH GM	10 W
911401847499	SM293C LED20/830 PSU WH GM	19 W
911401847599	SM293C LED20/840 PSU WH GM	19 W
911401847699	SM293C LED20/865 PSU WH GM	19 W
911401847799	SM295C LED70/840 PSU WP WH GM	66 W
911401847899	SM295C LED70/830 PSU WP WH GM	66 W
911401847999	SM294C LED40/840 PSU WP WH GM	36 W
911401848099	SM295C LED70/865 PSU WP WH GM	66 W
911401848299	SM294C LED40/865 PSU WP WH GM	36 W
911401848399	SM294C LED40/830 PSU WP WH GM	36 W
911401848499	SM295C LED70/830 PSU WH GM	66 W
911401848599	SM294C LED40/830 PSU WH GM	38 W

GreenSpace Surface-mounted

Order Code	Full Product Name	Initial input power
911401848699	SM294C LED40/840 PSU WH GM	38 W
911401848799	SM294C LED40/865 PSU WH GM	38 W
911401848899	SM295C LED70/840 PSU WH GM	66 W
911401510631	SM295C LED68/830 PSU WH	66 W
911401510731	SM295C LED68/840 PSU WH	66 W
911401510831	SM295C LED68/865 PSU WH	66 W
911401510931	SM295C LED68/830 PSU BK	66 W
911401511031	SM295C LED68/840 PSU BK	66 W

Order Code	Full Product Name	Initial input power
911401511131	SM295C LED68/865 PSU BK	66 W
911401511831	SM295C LED68/830 PSU WP WH	66 W
911401511931	SM295C LED68/840 PSU WP WH	66 W
911401512031	SM295C LED68/865 PSU WP WH	66 W
911401512131	SM295C LED68/830 PSU WP BK	66 W
911401512231	SM295C LED68/840 PSU WP BK	66 W
911401512331	SM295C LED68/865 PSU WP BK	66 W

Mechanical and housing

Order Code	Full Product Name	Color
911401508831	SM291C LED10/830 PSU WH	White
911401508931	SM291C LED10/840 PSU WH	White
911401509031	SM291C LED10/865 PSU WH	White
911401509131	SM291C LED10/830 PSU BK	Black
911401509231	SM291C LED10/840 PSU BK	Black
911401509331	SM291C LED10/865 PSU BK	Black
911401509431	SM293C LED20/830 PSU WH	White
911401509531	SM293C LED20/840 PSU WH	White
911401509631	SM293C LED20/865 PSU WH	White
911401509731	SM293C LED20/830 PSU BK	Black
911401509831	SM293C LED20/840 PSU BK	Black
911401509931	SM293C LED20/865 PSU BK	Black
911401510031	SM294C LED40/830 PSU WH	White
911401510131	SM294C LED40/840 PSU WH	White
911401510231	SM294C LED40/865 PSU WH	White
911401510331	SM294C LED40/830 PSU BK	Black
911401510431	SM294C LED40/840 PSU BK	Black
911401510531	SM294C LED40/865 PSU BK	Black
911401511231	SM294C LED40/830 PSU WP WH	White
911401511331	SM294C LED40/840 PSU WP WH	White
911401511431	SM294C LED40/865 PSU WP WH	White
911401511531	SM294C LED40/830 PSU WP BK	Black
911401511631	SM294C LED40/840 PSU WP BK	Black
911401511731	SM294C LED40/865 PSU WP BK	Black
911401847199	SM291C LED10/830 PSU WH GM	White
911401847299	SM291C LED10/840 PSU WH GM	White
911401847399	SM291C LED10/865 PSU WH GM	White

Order Code	Full Product Name	Color
911401847499	SM293C LED20/830 PSU WH GM	White
911401847599	SM293C LED20/840 PSU WH GM	White
911401847699	SM293C LED20/865 PSU WH GM	White
911401847799	SM295C LED70/840 PSU WP WH GM	White
911401847899	SM295C LED70/830 PSU WP WH GM	White
911401847999	SM294C LED40/840 PSU WP WH GM	White
911401848099	SM295C LED70/865 PSU WP WH GM	White
911401848299	SM294C LED40/865 PSU WP WH GM	White
911401848399	SM294C LED40/830 PSU WP WH GM	White
911401848499	SM295C LED70/830 PSU WH GM	White
911401848599	SM294C LED40/830 PSU WH GM	White
911401848699	SM294C LED40/840 PSU WH GM	White
911401848799	SM294C LED40/865 PSU WH GM	White
911401848899	SM295C LED70/840 PSU WH GM	White
911401510631	SM295C LED68/830 PSU WH	White
911401510731	SM295C LED68/840 PSU WH	White
911401510831	SM295C LED68/865 PSU WH	White
911401510931	SM295C LED68/830 PSU BK	Black
911401511031	SM295C LED68/840 PSU BK	Black
911401511131	SM295C LED68/865 PSU BK	Black
911401511831	SM295C LED68/830 PSU WP WH	White
911401511931	SM295C LED68/840 PSU WP WH	White
911401512031	SM295C LED68/865 PSU WP WH	White
911401512131	SM295C LED68/830 PSU WP BK	Black
911401512231	SM295C LED68/840 PSU WP BK	Black
911401512331	SM295C LED68/865 PSU WP BK	Black

Over time performance (IEC compliant)

Order Code	Full Product Name	Driver failure rate at 5000 h
911401508831	SM291C LED10/830 PSU WH	1.00 %
911401508931	SM291C LED10/840 PSU WH	1.00 %
911401509031	SM291C LED10/865 PSU WH	1.00 %
911401509131	SM291C LED10/830 PSU BK	1.00 %
911401509231	SM291C LED10/840 PSU BK	1.00 %
911401509331	SM291C LED10/865 PSU BK	1.00 %
911401509431	SM293C LED20/830 PSU WH	1.00 %
911401509531	SM293C LED20/840 PSU WH	1.00 %

Order Code	Full Product Name	Driver failure rate at 5000 h
911401509631	SM293C LED20/865 PSU WH	1.00 %
911401509731	SM293C LED20/830 PSU BK	1.00 %
911401509831	SM293C LED20/840 PSU BK	1.00 %
911401509931	SM293C LED20/865 PSU BK	1.00 %
911401510031	SM294C LED40/830 PSU WH	1.00 %
911401510131	SM294C LED40/840 PSU WH	1.00 %
911401510231	SM294C LED40/865 PSU WH	1.00 %
911401510331	SM294C LED40/830 PSU BK	1.00 %

GreenSpace Surface-mounted

Order Code	Full Product Name	Driver failure rate at 5000 h
911401510431	SM294C LED40/840 PSU BK	1.00 %
911401510531	SM294C LED40/865 PSU BK	1.00 %
911401511231	SM294C LED40/830 PSU WP WH	1.00 %
911401511331	SM294C LED40/840 PSU WP WH	1.00 %
911401511431	SM294C LED40/865 PSU WP WH	1.00 %
911401511531	SM294C LED40/830 PSU WP BK	1.00 %
911401511631	SM294C LED40/840 PSU WP BK	1.00 %
911401511731	SM294C LED40/865 PSU WP BK	1.00 %
911401847199	SM291C LED10/830 PSU WH GM	1.00 %
911401847299	SM291C LED10/840 PSU WH GM	1.00 %
911401847399	SM291C LED10/865 PSU WH GM	1.00 %
911401847499	SM293C LED20/830 PSU WH GM	1.00 %
911401847599	SM293C LED20/840 PSU WH GM	1.00 %
911401847699	SM293C LED20/865 PSU WH GM	1.00 %
911401847799	SM295C LED70/840 PSU WP WH GM	1.00 %
911401847899	SM295C LED70/830 PSU WP WH GM	1.00 %
911401847999	SM294C LED40/840 PSU WP WH GM	1.00 %
911401848099	SM295C LED70/865 PSU WP WH GM	1.00 %
911401848299	SM294C LED40/865 PSU WP WH GM	1.00 %

Order Code	Full Product Name	Driver failure rate at 5000 h
911401848399	SM294C LED40/830 PSU WP WH GM	1.00 %
911401848499	SM295C LED70/830 PSU WH GM	1.00 %
911401848599	SM294C LED40/830 PSU WH GM	1.00 %
911401848699	SM294C LED40/840 PSU WH GM	1.00 %
911401848799	SM294C LED40/865 PSU WH GM	1.00 %
911401848899	SM295C LED70/840 PSU WH GM	1.00 %
911401510631	SM295C LED68/830 PSU WH	0.01 %
911401510731	SM295C LED68/840 PSU WH	0.01 %
911401510831	SM295C LED68/865 PSU WH	0.01 %
911401510931	SM295C LED68/830 PSU BK	0.01 %
911401511031	SM295C LED68/840 PSU BK	0.01 %
911401511131	SM295C LED68/865 PSU BK	0.01 %
911401511831	SM295C LED68/830 PSU WP WH	0.01 %
911401511931	SM295C LED68/840 PSU WP WH	0.01 %
911401512031	SM295C LED68/865 PSU WP WH	0.01 %
911401512131	SM295C LED68/830 PSU WP BK	0.01 %
911401512231	SM295C LED68/840 PSU WP BK	0.01 %
911401512331	SM295C LED68/865 PSU WP BK	0.01 %

