



# Reach New Heights. High lumen output and long-throw giant LED floodlight for fixed and dynamic architectural and facade lighting applications.

## UniFlood G

UniFlood G is a giant, high power, rectangular shaped and exterior-rated architectural LED floodlight that is designed for façade, landscape and outdoor flood lighting applications. The robust mechanical design and high-efficient optical design make it ideal for illuminating high story exterior facades, bridges, landmarks and monuments. Available in white, monochromatic colors, RGB, RGBW and tunable white. Eight different spread lenses ranging from narrow spot, to wide flood and DMX512/RDM control option available to give architects and designers the freedom to explore a wide range of concepts and design with no limitations.

### Benefits

- Long-throw: 1 foot-candle at up to 445m (4000K, 3.5° lens)
- Robust Design & IP66 rated for outdoor use
- Wide Range of Beam Angles from Narrow Spot to Wide Flood

# UniFlood G

## Features

- Standard: RGBW, RGB, 2700K, 3000K and 4000K
- Optional: 5000K, monochromatic colors, RGBA and tunable White
- Available in DMX512/RDM control interface option
- Available in 8 optical distributions from narrow spot to wide flood

## Application

- Bridges, Monuments, Facades
- Landscape
- Parks and Plazas

## Versions



UniFlood G Standard Product Photo



UniFlood G Standard Product Photo



UniFlood G Standard Product Photo



UniFlood G Standard Product Photo

## Accessories



UniFlood G BVP343 BVP344 glare shield

Ordercode 911401779632

### Approval and application

Mech. impact protection code IK09

### General information

CE mark CE mark

Optical cover/lens type Tempered glass

Driver included Yes

Flammability mark For mounting on normally flammable surfaces

### Mechanical and housing

Color Dark gray

## Controls and dimming

Order Code	Full Product Name	Dimmable
911401729553	BVP343 48LED 27K 220V 3 D2	No
911401729563	BVP343 48LED 27K 220V 3 DMX D2	Yes
911401729573	BVP343 48LED 30K 220V 3 D2	No
911401729583	BVP343 48LED 30K 220V 3 DMX D2	Yes
911401729593	BVP343 48LED 40K 220V 3 D2	No
911401729603	BVP343 48LED 40K 220V 3 DMX D2	Yes
911401729613	BVP343 48LED RGB 220V 3 DMX D2	Yes
911401729623	BVP343 48LED RGBNW 220V 3 DMX D2	Yes
911401729633	BVP343 108LED 27K 220V 7 D3	No
911401729643	BVP343 108LED 27K 220V 7 DMX D3	Yes
911401729653	BVP343 108LED 30K 220V 7 D3	No
911401729663	BVP343 108LED 30K 220V 7 DMX D3	Yes
911401729673	BVP343 108LED 40K 220V 7 D3	No
911401729683	BVP343 108LED 40K 220V 7 DMX D3	Yes
911401729693	BVP343 108LED RGB 220V 7 DMX D3	Yes
911401729703	BVP343 108LED RGBNW 220V 7 DMX D3	Yes
911401729713	BVP343 108LED 27K 220V 15x17 D3	No
911401729723	BVP343 108LED 27K 220V 15x17 DMX D3	Yes
911401729733	BVP343 108LED 30K 220V 15x17 D3	No
911401729743	BVP343 108LED 30K 220V 15x17 DMX D3	Yes
911401729753	BVP343 108LED 40K 220V 15x17 D3	No
911401729763	BVP343 108LED 40K 220V 15x17 DMX D3	Yes
911401729773	BVP343 108LED RGB 220V 15x17 DMX D3	Yes
911401729783	BVP343 108LED RGBNW 220V 15x17 DMX D3	Yes

Order Code	Full Product Name	Dimmable
911401729793	BVP344 96LED 27K 220V 3 D2	No
911401729803	BVP344 96LED 27K 220V 3 DMX D2	Yes
911401729813	BVP344 96LED 30K 220V 3 D2	No
911401729823	BVP344 96LED 30K 220V 3 DMX D2	Yes
911401729833	BVP344 96LED 40K 220V 3 D2	No
911401729843	BVP344 96LED 40K 220V 3 DMX D2	Yes
911401729853	BVP344 96LED RGB 220V 3 DMX D2	Yes
911401729863	BVP344 96LED RGBNW 220V 3 DMX D2	Yes
911401729873	BVP344 216LED 27K 220V 7 D3	No
911401729883	BVP344 216LED 27K 220V 7 DMX D3	Yes
911401729893	BVP344 216LED 30K 220V 7 D3	No
911401729903	BVP344 216LED 30K 220V 7 DMX D3	Yes
911401729913	BVP344 216LED 40K 220V 7 D3	No
911401729923	BVP344 216LED 40K 220V 7 DMX D3	Yes
911401729933	BVP344 216LED RGB 220V 7 DMX D3	Yes
911401729943	BVP344 216LED RGBNW 220V 7 DMX D3	Yes
911401729953	BVP344 216LED 27K 220V 15x17 D3	No
911401729963	BVP344 216LED 27K 220V 15x17 DMX D3	Yes
911401729973	BVP344 216LED 30K 220V 15x17 D3	No
911401729983	BVP344 216LED 30K 220V 15x17 DMX D3	Yes
911401729993	BVP344 216LED 40K 220V 15x17 D3	No
911401730003	BVP344 216LED 40K 220V 15x17 DMX D3	Yes
911401730013	BVP344 216LED RGB 220V 15x17 DMX D3	Yes
911401730023	BVP344 216LED RGBNW 220V 15x17 DMX D3	Yes

## General information

Order Code	Full Product Name	Light source color
911401729553	BVP343 48LED 27K 220V 3 D2	Warm white
911401729563	BVP343 48LED 27K 220V 3 DMX D2	Warm white
911401729573	BVP343 48LED 30K 220V 3 D2	Warm white
911401729583	BVP343 48LED 30K 220V 3 DMX D2	Warm white
911401729593	BVP343 48LED 40K 220V 3 D2	Neutral white
911401729603	BVP343 48LED 40K 220V 3 DMX D2	Neutral white
911401729613	BVP343 48LED RGB 220V 3 DMX D2	Red, green and blue
911401729623	BVP343 48LED RGBNW 220V 3 DMX D2	Red, green, blue and white
911401729633	BVP343 108LED 27K 220V 7 D3	Warm white
911401729643	BVP343 108LED 27K 220V 7 DMX D3	Warm white
911401729653	BVP343 108LED 30K 220V 7 D3	Warm white
911401729663	BVP343 108LED 30K 220V 7 DMX D3	Warm white
911401729673	BVP343 108LED 40K 220V 7 D3	Neutral white
911401729683	BVP343 108LED 40K 220V 7 DMX D3	Neutral white
911401729693	BVP343 108LED RGB 220V 7 DMX D3	Red, green and blue
911401729703	BVP343 108LED RGBNW 220V 7 DMX D3	Red, green, blue and white
911401729713	BVP343 108LED 27K 220V 15x17 D3	Warm white
911401729723	BVP343 108LED 27K 220V 15x17 DMX D3	Warm white
911401729733	BVP343 108LED 30K 220V 15x17 D3	Warm white
911401729743	BVP343 108LED 30K 220V 15x17 DMX D3	Warm white
911401729753	BVP343 108LED 40K 220V 15x17 D3	Neutral white
911401729763	BVP343 108LED 40K 220V 15x17 DMX D3	Neutral white

Order Code	Full Product Name	Light source color
911401729773	BVP343 108LED RGB 220V 15x17 DMX D3	Red, green and blue
911401729783	BVP343 108LED RGBNW 220V 15x17 DMX D3	Red, green, blue and white
911401729793	BVP344 96LED 27K 220V 3 D2	Warm white
911401729803	BVP344 96LED 27K 220V 3 DMX D2	Warm white
911401729813	BVP344 96LED 30K 220V 3 D2	Warm white
911401729823	BVP344 96LED 30K 220V 3 DMX D2	Warm white
911401729833	BVP344 96LED 40K 220V 3 D2	Neutral white
911401729843	BVP344 96LED 40K 220V 3 DMX D2	Neutral white
911401729853	BVP344 96LED RGB 220V 3 DMX D2	Red, green and blue
911401729863	BVP344 96LED RGBNW 220V 3 DMX D2	Red, green, blue and white
911401729873	BVP344 216LED 27K 220V 7 D3	Warm white
911401729883	BVP344 216LED 27K 220V 7 DMX D3	Warm white
911401729893	BVP344 216LED 30K 220V 7 D3	Warm white
911401729903	BVP344 216LED 30K 220V 7 DMX D3	Warm white
911401729913	BVP344 216LED 40K 220V 7 D3	Neutral white
911401729923	BVP344 216LED 40K 220V 7 DMX D3	Neutral white
911401729933	BVP344 216LED RGB 220V 7 DMX D3	Red, green and blue
911401729943	BVP344 216LED RGBNW 220V 7 DMX D3	Red, green, blue and white
911401729953	BVP344 216LED 27K 220V 15x17 D3	Warm white
911401729963	BVP344 216LED 27K 220V 15x17 DMX D3	Warm white
911401729973	BVP344 216LED 30K 220V 15x17 D3	Warm white

Order Code	Full Product Name	Light source color
911401729983	BVP344 216LED 30K 220V 15x17 DMX D3	Warm white
911401729993	BVP344 216LED 40K 220V 15x17 D3	Neutral white
911401730003	BVP344 216LED 40K 220V 15x17 DMX D3	Neutral white

Order Code	Full Product Name	Light source color
911401730013	BVP344 216LED RGB 220V 15x17 DMX D3	Red, green and blue
911401730023	BVP344 216LED RGBNW 220V 15x17 DMX D3	Red, green, blue and white

Initial performance (IEC compliant)

Order Code	Full Product Name	Init. Color		
		Init. Corr. Color Temperature	Rendering Index	Initial luminous flux
911401729553	BVP343 48LED 27K 220V 3 D2	-	80	6229 lm
911401729563	BVP343 48LED 27K 220V 3 DMX D2	-	80	6104 lm
911401729573	BVP343 48LED 30K 220V 3 D2	-	80	6665 lm
911401729583	BVP343 48LED 30K 220V 3 DMX D2	-	80	6532 lm
911401729593	BVP343 48LED 40K 220V 3 D2	-	80	7600 lm
911401729603	BVP343 48LED 40K 220V 3 DMX D2	-	80	7447 lm
911401729613	BVP343 48LED RGB 220V 3 DMX D2	-	-	4700 lm
911401729623	BVP343 48LED RGBNW 220V 3 DMX D2	-	-	5482 lm
911401729633	BVP343 108LED 27K 220V 7 D3	2700 K	80	16632 lm
911401729643	BVP343 108LED 27K 220V 7 DMX D3	-	80	16299 lm
911401729653	BVP343 108LED 30K 220V 7 D3	-	80	17796 lm
911401729663	BVP343 108LED 30K 220V 7 DMX D3	-	80	17440 lm
911401729673	BVP343 108LED 40K 220V 7 D3	-	80	20291 lm
911401729683	BVP343 108LED 40K 220V 7 DMX D3	-	80	19885 lm
911401729693	BVP343 108LED RGB 220V 7 DMX D3	-	-	12551 lm
911401729703	BVP343 108LED RGBNW 220V 7 DMX D3	-	-	14343 lm
911401729713	BVP343 108LED 27K 220V 15x17 D3	-	80	17131 lm
911401729723	BVP343 108LED 27K 220V 15x17 DMX D3	-	80	16788 lm
911401729733	BVP343 108LED 30K 220V 15x17 D3	-	80	18330 lm
911401729743	BVP343 108LED 30K 220V 15x17 DMX D3	-	80	17964 lm
911401729753	BVP343 108LED 40K 220V 15x17 D3	-	80	20900 lm

Order Code	Full Product Name	Init. Color		
		Init. Corr. Color Temperature	Rendering Index	Initial luminous flux
911401729763	BVP343 108LED 40K 220V 15x17 DMX D3	-	80	20482 lm
911401729773	BVP343 108LED RGB 220V 15x17 DMX D3	-	-	12927 lm
911401729783	BVP343 108LED RGBNW 220V 15x17 DMX D3	-	-	14774 lm
911401729793	BVP344 96LED 27K 220V 3 D2	-	80	12458 lm
911401729803	BVP344 96LED 27K 220V 3 DMX D2	-	80	12209 lm
911401729813	BVP344 96LED 30K 220V 3 D2	-	80	13330 lm
911401729823	BVP344 96LED 30K 220V 3 DMX D2	-	80	13063 lm
911401729833	BVP344 96LED 40K 220V 3 D2	-	80	15199 lm
911401729843	BVP344 96LED 40K 220V 3 DMX D2	-	80	14895 lm
911401729853	BVP344 96LED RGB 220V 3 DMX D2	-	-	9401 lm
911401729863	BVP344 96LED RGBNW 220V 3 DMX D2	-	-	10963 lm
911401729873	BVP344 216LED 27K 220V 7 D3	-	80	33264 lm
911401729883	BVP344 216LED 27K 220V 7 DMX D3	-	80	32599 lm
911401729893	BVP344 216LED 30K 220V 7 D3	-	80	35592 lm
911401729903	BVP344 216LED 30K 220V 7 DMX D3	-	80	34881 lm
911401729913	BVP344 216LED 40K 220V 7 D3	-	80	40582 lm
911401729923	BVP344 216LED 40K 220V 7 DMX D3	-	80	39770 lm
911401729933	BVP344 216LED RGB 220V 7 DMX D3	-	-	25101 lm
911401729943	BVP344 216LED RGBNW 220V 7 DMX D3	-	-	28687 lm
911401729953	BVP344 216LED 27K 220V 15x17 D3	-	80	34262 lm
911401729963	BVP344 216LED 27K 220V 15x17 DMX D3	-	80	33577 lm

## UniFlood G

Order Code	Full Product Name	Init. Color		
		Init. Corr. Color Temperature	Rendering Index	Initial luminous flux
911401729973	BVP344 216LED 30K 220V 15x17 D3	-	80	36660 lm
911401729983	BVP344 216LED 30K 220V 15x17 DMX D3	-	80	35927 lm
911401729993	BVP344 216LED 40K 220V 15x17 D3	-	80	41800 lm

Order Code	Full Product Name	Init. Color		
		Init. Corr. Color Temperature	Rendering Index	Initial luminous flux
911401730003	BVP344 216LED 40K 220V 15x17 DMX D3	-	80	40964 lm
911401730013	BVP344 216LED RGB 220V 15x17 DMX D3	-	-	25854 lm
911401730023	BVP344 216LED RGBNW 220V 15x17 DMX D3	-	-	29547 lm

